Carnegie Mellon
Software Engineering Institute
Pittsburgh, PA 15213-3890

Architectural Aspects of Long-Lived Ground Systems

Charles ("Bud") Hammons

Ground Systems Architecture Workshop 2006

Sponsored by the U.S. Department of Defense

Report Documentation Page

Form Approved
OMB No. 0704-0188

1. REPORT DATE	2. REPORT TYPE	3. DATES COVERED
2006		**00-00-2006 to 00-00-2006**

4. TITLE AND SUBTITLE	5a. CONTRACT NUMBER
Architecture Aspects of Long-Lived Ground Systems	5b. GRANT NUMBER
	5c. PROGRAM ELEMENT NUMBER
6. AUTHOR(S)	5d. PROJECT NUMBER
	5e. TASK NUMBER
	5f. WORK UNIT NUMBER
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) **Carnegie Mellon University,Software Engineering Institute,5000 Forbes Avenue,Pittsburgh,PA,15213-3890**	8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)	10. SPONSOR/MONITOR'S ACRONYM(S)
	11. SPONSOR/MONITOR'S REPORT NUMBER(S)

12. DISTRIBUTION/AVAILABILITY STATEMENT
Approved for public release; distribution unlimited

13. SUPPLEMENTARY NOTES

14. ABSTRACT

15. SUBJECT TERMS

16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT **unclassified**	b. ABSTRACT **unclassified**	c. THIS PAGE **unclassified**	**Same as Report (SAR)**	**11**	

Carnegie Mellon
Software Engineering Institute

Topics

Ground Systems Challenges

A motivating example - TSAT*

Architecture Strategy

Architecture Tactics

Realization

Summary / Q&A

What architecture can do to support system longevity

***Disclaimer: personal views, not necessarily those of the Transformational Satellite Communications (TSAT) PMO**

Carnegie Mellon
Software Engineering Institute

Ground Systems Challenges

- Unprecedented Operational Capability
- Interoperability with external systems also in development
- Interoperability with Legacy Systems
- Evolution in CONOPS
- Evolution in protocols and underlying technology

- Architecturally significant attributes
- Drive lifecycle evolution/change into development cycle

Carnegie Mellon
Software Engineering Institute

A Motivating Example - TSAT

Goals include

- mission-critical satellite-based packet and circuit communications for the warfighter
- quality of service, info assurance, comm. on the move,…
- seamless integration into the Global Information Grid (GIG)
- complex interactions with military planners/systems

Other programs have similarly challenging objectives and complexity (e.g. business enterprise integration exploiting RFID*, network communications,…)

Overarching Challenge – develop a large, complex, long-lived, software intensive systems in an environment that is fluid both during and after development

*RFID – Radio Frequency IDentification

Carnegie Mellon
Software Engineering Institute

Architecture Strategy

At the risk of stating the obvious, identify what is fixed, what is variable

Fixed/Slow-moving
- domain-specific data
- *essential* behavior
- software/hardware split

Variable/Evolving
- standards, protocols
- external interfaces
- CONOPS, deployment
- time constraints
- value-added features
- technology refresh
- human-machine task split

Tactics: identify architectural features that allow change and protect invariants

Carnegie Mellon
Software Engineering Institute

Architecture – Tactics 1

Separation of Concerns

Explicit domain-specific data model

- most resilient piece of large system-of-systems
- desirable to version elements
- unambiguous units of measure
- include behavior with roles, permissions, etc.

Separate CONOPS from data model

- CONOPS is mechanized as an explicit element of architecture
- captures policies that drive behavior
- describes human-machine task division

Separate domain-specific behavior from supporting infrastructure

Carnegie Mellon
Software Engineering Institute

Architecture – Tactics 2

Define Capable Infrastructure

Generalized inter-component communications
- messaging 'middleware'
- asynchronous to near real-time constraints
  - multiple transport mechanisms transparent to application components

Explicit management model for components
- formal model for control and monitoring
- 'component registry'
- include version as lookup criteria
- enable automated & remote component

Isolate external interfaces from applications/services

Carnegie Mellon
Software Engineering Institute

Architecture – Tactics 3

Exploit Legacy & COTS Software

- Treated as components in architectural model
- Individual choices should neither “break” nor drive architecture
- Unique structure hidden by common packaging conventions
- On case-by-case basis, revision/replacement is pre-planned

Carnegie Mellon
Software Engineering Institute

Realization 1

Architectural Styles

- Client-Server
- Service-Oriented Architecture (SOA)
- Agent-based systems
- Hybrids

Communications Models

- XML-based (including “Web Services”)
- CORBA and relatives
- Problem-specific binary communications protocols (e.g. WSTAWG* real-time model)

*WSTAWG – Weapons System
Technical Architecture Working Group

Carnegie Mellon
Software Engineering Institute

Realization 2

Organizational Issues

- Recognize going in that this is difficult work
- Requires organizational buy-in and sustained management attention
- Expect numerous objections
- Complexity and long time frame ensures mistakes will happen – architecture can mitigate effects when domain mutates or market forces influence what is available or appropriate

Carnegie Mellon
Software Engineering Institute

Summary

• Developing complex net-centric systems while we are still trying to fully understand what it means to be net-centric represents unique opportunities and risks

• Rapid evolution in technology, standards, and protocols increases variability that programs must comprehend.

• Architecture can mitigate some of the difficulties.

• There is *still* no silver bullet.